

1U12XL-EPYC/2T

1U12XL-EPYC/2T2E




3200



1U/2U High Density Storage



10Gbase-T



Application

- High-density Web 2.0
- Cloud Datacenter Storage



2.5" SATA HDD up to 6Gb/s
2.5" 7mm NVMe HDD



Redundant PSU (700W) 2 x USB3.1 Ports 2 x RJ45 10G LAN by Intel® X550 1 x Single-width PCIe x16 Card (by Riser Card)

General Purpose Storage

		1U12XL-EPYC/2T	1U12XL-EPYC/2T2E
System Physical Status	Form Factor	1U Rackmount	1U Rackmount
	Chassis Model	1U12L	1U12L
	Chassis Dimension	860 x 438.5 x 43.2 mm (33.9 x 17.2 x 1.7 inches)	860 x 438.5 x 43.2 mm (33.9 x 17.2 x 1.7 inches)
	Support MB Size	ATX, 12"x9.6"(EPYCD8-2T)	ATX, 12"x9.6"(EPYCD8-2T)
CPU	Single Socket SP3(LGA4094) Supports AMD EPYC™ 7002/7001 Series Processors		
Memory	8 DIMM Slots, Supports Eight-Channel DDR4 3200/2933/2666/2400 R DIMM (Modules up to 64GB Supported), and LR DIMM (Modules up to 256GB Supported)		
External Drive Bay	Front Side Drive Bay	2 HOT-Swappable Bay for 2.5" 7mm SATA HDD	2 HOT-Swappable Bay for 2.5" 7mm NVMe HDD
	Front Side Backplane	Dual Single Backplanes for Each Drive	Dual Single Backplanes for Each Drive
	Internal Side	12 Bay multi-function Hot-Swappable Bay for 3.5" or 2.5" SATA HDD/SSD	12 Bay multi-function Hot-Swappable Bay for 3.5" or 2.5" SATA HDD/SSD
	Internal Side Backplane	3 x Quad Ports Backplane for Drives SFF-8482 connector	3 x Quad Ports Backplane for Drives SFF-8482 connector
Front Panel	Buttons	Power On/Off Button, UID Button, System Reset Button	Power On/Off Button, UID Button, System Reset Button
	LEDs	Power Status LED, LAN Activity LED, HDD Status LED	Power Status LED, LAN Activity LED, HDD Status LED
	I/O Port	NA	NA
Ethernet	Interface	10000/1000/100/10 Mbps	10000/1000/100/10 Mbps
	LAN Controller	2 x RJ45 10GLAN by Intel® X550 1 x RJ45 Dedicated IPMI LAN Port by RTL8211E	2 x RJ45 10GLAN by Intel® X550 1 x RJ45 Dedicated IPMI LAN Port by RTL8211E
Power Supply	Capacity	1U, Redundant	1U, Redundant
	Output Watts	700W	700W
System Cooling	Fan	6 x 40*28 mm System Fans	6 x 40*28 mm System Fans